



## SU Core Results - Pass / Fail



### %age fail and reasons for failure



TYPE of CORING PROGRAMME: RAUC National Coring 2010/11

APPENDIX C

Version: 1

Date: 11/07/2011

## RAUC(S) NATIONAL CORING 2010/2011

| 1                                       | 2           | 3           | 4          | 5                           | 6                | 7             | 8         | 9        | 10         | 11         |
|---|-------------|-------------|------------|-----------------------------|------------------|---------------|-----------|----------|------------|------------|
| ALL SUs                                 | CORE        | PASS        |            | FAIL - REPLACE (ALL AGREED) |                  |               |           |          |            |            |
|   | Nos.        | Nos.        | %          | Voiding                     | Layer Tolerances | Material Type | Bond      | Others   | TOTAL      | %          |
| BT                                      | 204         | 129         | 63%        | 6                           | 33               | 22            | 14        | 0        | 75         | 37%        |
| C&W (Including THUS)                    | 49          | 40          | 82%        | 0                           | 6                | 1             | 2         | 0        | 9          | 18%        |
| Scotland Gas Networks                   | 321         | 267         | 83%        | 1                           | 41               | 10            | 1         | 1        | 54         | 17%        |
| Scottish & Southern                     | 62          | 47          | 76%        | 3                           | 8                | 2             | 2         | 0        | 15         | 24%        |
| Scottish Water                          | 422         | 304         | 72%        | 7                           | 78               | 23            | 10        | 0        | 118        | 28%        |
| Virgin Media (Including ntl & Telewest) | 89          | 56          | 63%        | 0                           | 22               | 5             | 6         | 0        | 33         | 37%        |
| Scottish Power                          | 173         | 139         | 80%        | 4                           | 25               | 2             | 3         | 0        | 34         | 20%        |
| Energetics                              | 24          | 17          | 71%        | 2                           | 5                | 0             | 0         | 0        | 7          | 29%        |
| H2O Networks                            | 5           | 1           | 20%        | 0                           | 3                | 1             | 0         | 0        | 4          | 80%        |
| <b>TOTALS</b>                           | <b>1349</b> | <b>1000</b> | <b>74%</b> | <b>23</b>                   | <b>221</b>       | <b>66</b>     | <b>38</b> | <b>1</b> | <b>349</b> | <b>26%</b> |

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 11/07/2011

NATIONAL CORING 2010/11

| 1                                 | 2           | 3           | 4          | 5                                  | 6                   | 7                | 8        | 9        | 10        | 11         |
|-----------------------------------|-------------|-------------|------------|------------------------------------|---------------------|------------------|----------|----------|-----------|------------|
| Roads Authority<br><b>NOSRAUC</b> | <b>CORE</b> | <b>PASS</b> |            | <b>FAIL - REPLACE (ALL AGREED)</b> |                     |                  |          |          |           |            |
|                                   | Nos.        | Nos.        | %          | Voiding                            | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL     | %          |
| <b>Aberdeenshire</b>              | <b>46</b>   | <b>42</b>   | <b>91%</b> | <b>0</b>                           | <b>4</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>4</b>  | <b>9%</b>  |
| <b>City of Aberdeen</b>           | <b>45</b>   | <b>32</b>   | <b>71%</b> | <b>5</b>                           | <b>3</b>            | <b>3</b>         | <b>2</b> | <b>0</b> | <b>13</b> | <b>29%</b> |
| <b>Highland</b>                   | <b>62</b>   | <b>47</b>   | <b>76%</b> | <b>5</b>                           | <b>5</b>            | <b>3</b>         | <b>2</b> | <b>0</b> | <b>15</b> | <b>24%</b> |
| <b>Moray</b>                      | <b>24</b>   | <b>19</b>   | <b>79%</b> | <b>1</b>                           | <b>2</b>            | <b>1</b>         | <b>1</b> | <b>0</b> | <b>5</b>  | <b>21%</b> |
| <b>TOTAL NoSRAUC</b>              | <b>177</b>  | <b>140</b>  | <b>79%</b> | <b>11</b>                          | <b>14</b>           | <b>7</b>         | <b>5</b> | <b>0</b> | <b>37</b> | <b>21%</b> |

TYPE of CORING PROGRAMME:

APPENDIX B

Version: 1

Date: 20/06/2011

NATIONAL CORING 2010/11

| 1                          | 2          | 3          | 4          | 5                           | 6                   | 7                | 8        | 9        | 10        | 11         |
|----------------------------|------------|------------|------------|-----------------------------|---------------------|------------------|----------|----------|-----------|------------|
| Roads Authority<br>SW RAUC | CORE       | PASS       |            | FAIL - REPLACE (ALL AGREED) |                     |                  |          |          |           |            |
|                            | Nos.       | Nos.       | %          | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL     | %          |
| Dumfries & Galloway        | 46         | 34         | 74%        | 0                           | 8                   | 3                | 0        | 1        | 12        | 26%        |
| East Ayrshire              | 34         | 26         | 76%        | 0                           | 6                   | 1                | 1        | 0        | 8         | 24%        |
| North Ayrshire             | 28         | 23         | 82%        | 0                           | 5                   | 0                | 0        | 0        | 5         | 18%        |
| South Ayrshire             | 51         | 35         | 69%        | 0                           | 10                  | 4                | 2        | 0        | 16        | 31%        |
| South Lanarkshire          | 86         | 58         | 67%        | 2                           | 16                  | 9                | 1        | 0        | 28        | 33%        |
| North Lanarkshire          | 66         | 51         | 77%        | 1                           | 8                   | 3                | 3        | 0        | 15        | 23%        |
| East Dunbartonshire        | 24         | 18         | 75%        | 0                           | 4                   | 1                | 1        | 0        | 6         | 25%        |
| <b>TOTAL SW RAUC</b>       | <b>335</b> | <b>245</b> | <b>73%</b> | <b>3</b>                    | <b>57</b>           | <b>21</b>        | <b>8</b> | <b>1</b> | <b>90</b> | <b>27%</b> |

GTC Pipelines, Independent Pipelines and Monoconsultants were only cored in Sth Lanarkshire, have less than 5 cores Nationally and will not be recorded in the National results as per RAUC(S) Advice Note 3

| TYPE of CORING PROGRAMME:   |            | APPENDIX B |            |                             |                  | Version: 1    |           | Date: 16/05/2011 |           |            |
|-----------------------------|------------|------------|------------|-----------------------------|------------------|---------------|-----------|------------------|-----------|------------|
| NATIONAL CORING 2010/11     |            |            |            |                             |                  |               |           |                  |           |            |
| 1                           | 2          | 3          | 4          | 5                           | 6                | 7             | 8         | 9                | 10        | 11         |
| Roads Authority<br>WoS RAUC | CORE       | PASS       |            | FAIL - REPLACE (ALL AGREED) |                  |               |           |                  |           |            |
|                             | Nos.       | Nos.       | %          | Voiding                     | Layer Tolerances | Material Type | Bond      | Others           | TOTAL     | %          |
| Renfrewshire                | 55         | 42         | 76%        | 0                           | 10               | 2             | 1         | 0                | 13        | 24%        |
| Argyle & Bute               | 40         | 35         | 88%        | 0                           | 3                | 2             | 0         | 0                | 5         | 13%        |
| City of Glasgow             | 147        | 88         | 60%        | 0                           | 42               | 10            | 7         | 0                | 59        | 40%        |
| Inverclyde                  | 21         | 16         | 76%        | 0                           | 2                | 3             | 0         | 0                | 5         | 24%        |
| *West Dunbartonshire        | 40         | 27         | 68%        | 0                           | 8                | 3             | 2         | 0                | 13        | 33%        |
| **East Renfrewshire         | 10         | 6          |            | 2                           | 2                | 0             | 0         | 0                | 4         | 40%        |
| <b>TOTAL WoSRAUC</b>        | <b>313</b> | <b>214</b> | <b>68%</b> | <b>2</b>                    | <b>67</b>        | <b>20</b>     | <b>10</b> | <b>0</b>         | <b>99</b> | <b>32%</b> |

\*WDun Core 4 for SGN: no sign that GAS 4 core was taken at proposed location, so the result has not been recorded on this spreadsheet

\*WDun/VM: no agreement reached despite several WDun attempts to contact VM within Advice Note 3 timescales. Results recorded in this spreadsheet

\*WDun/SP: no agreement reached despite several WDun attempts to contact SP within Advice Note 3 timescales. Results recorded in this spreadsheet

\*\*SW results from East Renfrewshire not recorded in the National Results as they were not agreed between both parties

|  |             |             |            |                                    |                     |                  |           |            |                  |            |  |
|--|-------------|-------------|------------|------------------------------------|---------------------|------------------|-----------|------------|------------------|------------|--|
| TYPE of CORING PROGRAMME:                |             |             |            | <b>APPENDIX B</b>                  |                     |                  |           | Version: 1 | Date: 16/05/2011 |            |  |
| NATIONAL CORING 2010/11                  |             |             |            |                                    |                     |                  |           |            |                  |            |  |
| 1  | 2           | 3           | 4          | 5                                  | 6                   | 7                | 8         | 9          | 10               | 11         |  |
| <b>Roads Authority<br/>Tayforth RAUC</b> | <b>CORE</b> | <b>PASS</b> |            | <b>FAIL - REPLACE (ALL AGREED)</b> |                     |                  |           |            |                  |            |  |
|  | Nos.        | Nos.        | %          | Voiding                            | Layer<br>Tolerances | Material<br>Type | Bond      | Others     | TOTAL            | %          |  |
| <b>Angus</b>                             | <b>28</b>   | <b>22</b>   | <b>79%</b> | <b>0</b>                           | <b>3</b>            | <b>2</b>         | <b>1</b>  | <b>0</b>   | <b>6</b>         | <b>21%</b> |  |
| <b>Clackmannanshire</b>                  | <b>19</b>   | <b>16</b>   | <b>84%</b> | <b>0</b>                           | <b>2</b>            | <b>1</b>         | <b>0</b>  | <b>0</b>   | <b>3</b>         | <b>16%</b> |  |
| <b>City of Dundee</b>                    | <b>37</b>   | <b>32</b>   | <b>86%</b> | <b>1</b>                           | <b>3</b>            | <b>1</b>         | <b>0</b>  | <b>0</b>   | <b>5</b>         | <b>14%</b> |  |
| <b>Falkirk</b>                           | <b>38</b>   | <b>24</b>   | <b>63%</b> | <b>0</b>                           | <b>12</b>           | <b>2</b>         | <b>0</b>  | <b>0</b>   | <b>14</b>        | <b>37%</b> |  |
| <b>Fife</b>                              | <b>84</b>   | <b>55</b>   | <b>65%</b> | <b>2</b>                           | <b>17</b>           | <b>1</b>         | <b>9</b>  | <b>0</b>   | <b>29</b>        | <b>35%</b> |  |
| <b>Perth &amp; Kinross</b>               | <b>36</b>   | <b>30</b>   | <b>83%</b> | <b>0</b>                           | <b>3</b>            | <b>1</b>         | <b>2</b>  | <b>0</b>   | <b>6</b>         | <b>17%</b> |  |
| <b>Stirling</b>                          | <b>33</b>   | <b>25</b>   | <b>76%</b> | <b>0</b>                           | <b>6</b>            | <b>2</b>         | <b>0</b>  | <b>0</b>   | <b>8</b>         | <b>24%</b> |  |
| <b>TOTAL TayforthRAUC</b>                | <b>275</b>  | <b>204</b>  | <b>74%</b> | <b>3</b>                           | <b>46</b>           | <b>10</b>        | <b>12</b> | <b>0</b>   | <b>71</b>        | <b>26%</b> |  |

TYPE of CORING PROGRAMME:

APPENDIX B

Version: 1

Date: 17/06/2011

NATIONAL CORING 2010/11

| 1                          | 2          | 3          | 4          | 5                           | 6                   | 7                | 8        | 9        | 10        | 11         |
|----------------------------|------------|------------|------------|-----------------------------|---------------------|------------------|----------|----------|-----------|------------|
| Roads Authority<br>SE RAUC | CORE       | PASS       |            | FAIL - REPLACE (ALL AGREED) |                     |                  |          |          |           |            |
|                            | Nos.       | Nos.       | %          | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL     | %          |
| City of Edinburgh          | 117        | 99         | 85%        | 0                           | 15                  | 2                | 1        | 0        | 18        | 15%        |
| East Lothian               | 32         | 28         | 88%        | 1                           | 2                   | 1                | 0        | 0        | 4         | 13%        |
| Midlothian                 | 25         | 19         | 76%        | 2                           | 2                   | 2                | 0        | 0        | 6         | 24%        |
| Scottish Borders           | 25         | 16         | 64%        | 1                           | 7                   | 1                | 0        | 0        | 9         | 36%        |
| West Lothian               | 50         | 35         | 70%        | 0                           | 11                  | 2                | 2        | 0        | 15        | 30%        |
| <b>TOTAL SE RAUC</b>       | <b>249</b> | <b>197</b> | <b>79%</b> | <b>4</b>                    | <b>37</b>           | <b>8</b>         | <b>3</b> | <b>0</b> | <b>52</b> | <b>21%</b> |



TYPE of CORING PROGRAMME:

APPENDIX B

Version: 1

Date: 17/06/2011

NATIONAL CORING 2010/11

| 1                               | 2           | 3           | 4          | 5                           | 6                | 7             | 8         | 9        | 10         | 11         |
|---------------------------------|-------------|-------------|------------|-----------------------------|------------------|---------------|-----------|----------|------------|------------|
| All Area RAUC(S)                | CORE        | PASS        |            | FAIL - REPLACE (ALL AGREED) |                  |               |           |          |            |            |
|                                 | Nos.        | Nos.        | %          | Voiding                     | Layer Tolerances | Material Type | Bond      | Others   | TOTAL      | %          |
| <b>NOSRAUC</b>                  | <b>177</b>  | <b>140</b>  | <b>79%</b> | <b>11</b>                   | <b>14</b>        | <b>7</b>      | <b>5</b>  | <b>0</b> | <b>37</b>  | <b>21%</b> |
| <b>SW RAUC</b>                  | <b>335</b>  | <b>245</b>  | <b>73%</b> | <b>3</b>                    | <b>57</b>        | <b>21</b>     | <b>8</b>  | <b>1</b> | <b>90</b>  | <b>27%</b> |
| <b>WoS RAUC</b>                 | <b>313</b>  | <b>214</b>  | <b>68%</b> | <b>2</b>                    | <b>67</b>        | <b>20</b>     | <b>10</b> | <b>0</b> | <b>99</b>  | <b>32%</b> |
| <b>Tayforth RAUC</b>            | <b>275</b>  | <b>204</b>  | <b>74%</b> | <b>3</b>                    | <b>46</b>        | <b>10</b>     | <b>12</b> | <b>0</b> | <b>71</b>  | <b>26%</b> |
| <b>SE RAUC</b>                  | <b>249</b>  | <b>197</b>  | <b>79%</b> | <b>4</b>                    | <b>37</b>        | <b>8</b>      | <b>3</b>  | <b>0</b> | <b>52</b>  | <b>21%</b> |
| <b>TOTAL FOR ALL RAUC AREAS</b> | <b>1349</b> | <b>1000</b> | <b>74%</b> | <b>23</b>                   | <b>221</b>       | <b>66</b>     | <b>38</b> | <b>1</b> | <b>349</b> | <b>26%</b> |

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 11/07/2011

NATIONAL CORING 2010/11

| 1                               | 2          | 3          | 4          | 5                           | 6                | 7             | 8        | 9        | 10        | 11         |
|---------------------------------|------------|------------|------------|-----------------------------|------------------|---------------|----------|----------|-----------|------------|
| North of Scotland RAUC          | CORE       | PASS       |            | FAIL - REPLACE (ALL AGREED) |                  |               |          |          |           |            |
|                                 | Nos.       | Nos.       | %          | Voiding                     | Layer Tolerances | Material Type | Bond     | Others   | TOTAL     | %          |
| <b>BT</b>                       | <b>48</b>  | <b>34</b>  | <b>71%</b> | <b>5</b>                    | <b>2</b>         | <b>5</b>      | <b>2</b> | <b>0</b> | <b>14</b> | <b>29%</b> |
| <b>C&amp;W (including THUS)</b> | <b>16</b>  | <b>15</b>  | <b>94%</b> | <b>0</b>                    | <b>1</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>1</b>  | <b>6%</b>  |
| <b>Scotland Gas Networks</b>    | <b>35</b>  | <b>33</b>  | <b>94%</b> | <b>0</b>                    | <b>2</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>2</b>  | <b>6%</b>  |
| <b>Scottish &amp; Southern</b>  | <b>29</b>  | <b>19</b>  | <b>66%</b> | <b>2</b>                    | <b>7</b>         | <b>0</b>      | <b>1</b> | <b>0</b> | <b>10</b> | <b>34%</b> |
| <b>Scottish Water</b>           | <b>49</b>  | <b>39</b>  | <b>80%</b> | <b>4</b>                    | <b>2</b>         | <b>2</b>      | <b>2</b> |          | <b>10</b> | <b>20%</b> |
| <b>TOTALS</b>                   | <b>177</b> | <b>140</b> | <b>79%</b> | <b>11</b>                   | <b>14</b>        | <b>7</b>      | <b>5</b> | <b>0</b> | <b>37</b> | <b>21%</b> |

TYPE of CORING PROGRAMME:

APPENDIX C

Version: 1

Date: 28/04/11

NATIONAL CORING 2010/11

| 1                              | 2          | 3          | 4          | 5                               | 6                | 7             | 8         | 9        | 10        | 11         |
|--------------------------------|------------|------------|------------|---------------------------------|------------------|---------------|-----------|----------|-----------|------------|
|                                | CORE       | PASS       |            | FAIL - REPLACE (AGREED Yes all) |                  |               |           |          |           |            |
| TAYFORTH RAUC                  |            |            |            |                                 |                  |               |           |          |           |            |
|                                | Nos.       | Nos.       | %          | Voiding                         | Layer Tolerances | Material Type | Bond      | Others   | TOTAL     | %          |
|                                |            |            |            |                                 |                  |               |           |          | No        |            |
| <b>BT</b>                      | <b>47</b>  | <b>21</b>  | <b>45%</b> | <b>1</b>                        | <b>14</b>        | <b>4</b>      | <b>7</b>  | <b>0</b> | <b>26</b> | <b>55%</b> |
| <b>SGN</b>                     | <b>60</b>  | <b>53</b>  | <b>88%</b> | <b>0</b>                        | <b>6</b>         | <b>1</b>      | <b>0</b>  | <b>0</b> | <b>7</b>  | <b>12%</b> |
| <b>Virgin Media</b>            | <b>23</b>  | <b>18</b>  | <b>78%</b> | <b>0</b>                        | <b>3</b>         | <b>1</b>      | <b>1</b>  | <b>0</b> | <b>5</b>  | <b>22%</b> |
| <b>Scottish Power</b>          | <b>33</b>  | <b>26</b>  | <b>79%</b> | <b>1</b>                        | <b>6</b>         | <b>0</b>      | <b>0</b>  | <b>0</b> | <b>7</b>  | <b>21%</b> |
| <b>Scottish Water</b>          | <b>86</b>  | <b>63</b>  | <b>73%</b> | <b>0</b>                        | <b>17</b>        | <b>3</b>      | <b>3</b>  | <b>0</b> | <b>23</b> | <b>27%</b> |
| <b>Scottish &amp; Southern</b> | <b>26</b>  | <b>23</b>  | <b>88%</b> | <b>1</b>                        | <b>0</b>         | <b>1</b>      | <b>1</b>  | <b>0</b> | <b>3</b>  | <b>12%</b> |
|                                |            |            |            |                                 |                  |               |           |          |           |            |
| <b>TOTALS</b>                  | <b>275</b> | <b>204</b> | <b>74%</b> | <b>3</b>                        | <b>46</b>        | <b>10</b>     | <b>12</b> | <b>0</b> | <b>71</b> | <b>26%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1                              | 2          | 3          | 4           | 5                               | 6                | 7             | 8        | 9        | 10        | 11         |
|--------------------------------|------------|------------|-------------|---------------------------------|------------------|---------------|----------|----------|-----------|------------|
|                                | CORE       | PASS       |             | FAIL - REPLACE (AGREED Yes all) |                  |               |          |          |           |            |
| South West RAUC                |            |            |             |                                 |                  |               |          |          |           |            |
|                                | Nos.       | Nos.       | %           | Voiding                         | Layer Tolerances | Material Type | Bond     | Others   | TOTAL     | %          |
|                                |            |            |             |                                 |                  |               |          |          | No        |            |
| <b>BT</b>                      | <b>39</b>  | <b>28</b>  | <b>72%</b>  | <b>0</b>                        | <b>4</b>         | <b>4</b>      | <b>3</b> | <b>0</b> | <b>11</b> | <b>28%</b> |
| <b>SGN</b>                     | <b>73</b>  | <b>56</b>  | <b>77%</b>  | <b>0</b>                        | <b>12</b>        | <b>4</b>      | <b>0</b> | <b>1</b> | <b>17</b> | <b>23%</b> |
| <b>Virgin Media</b>            | <b>18</b>  | <b>10</b>  | <b>56%</b>  | <b>0</b>                        | <b>6</b>         | <b>1</b>      | <b>1</b> | <b>0</b> | <b>8</b>  | <b>44%</b> |
| <b>Cable and Wireless</b>      | <b>16</b>  | <b>12</b>  | <b>75%</b>  | <b>0</b>                        | <b>3</b>         | <b>1</b>      | <b>0</b> | <b>0</b> | <b>4</b>  | <b>25%</b> |
| <b>GTC Pipelines</b>           | <b>1</b>   | <b>1</b>   | <b>100%</b> | <b>0</b>                        | <b>0</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>Scottish Power</b>          | <b>56</b>  | <b>45</b>  | <b>80%</b>  | <b>1</b>                        | <b>8</b>         | <b>0</b>      | <b>2</b> | <b>0</b> | <b>11</b> | <b>20%</b> |
| <b>Independent Pipelines</b>   | <b>2</b>   | <b>1</b>   | <b>50%</b>  | <b>0</b>                        | <b>1</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>1</b>  | <b>50%</b> |
| <b>Scottish Water</b>          | <b>117</b> | <b>84</b>  | <b>72%</b>  | <b>2</b>                        | <b>19</b>        | <b>10</b>     | <b>2</b> | <b>0</b> | <b>33</b> | <b>28%</b> |
| <b>Monoconsultants</b>         | <b>2</b>   | <b>2</b>   | <b>100%</b> | <b>0</b>                        | <b>0</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>Scottish &amp; Southern</b> | <b>2</b>   | <b>2</b>   | <b>100%</b> | <b>0</b>                        | <b>0</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>Energetics</b>              | <b>9</b>   | <b>7</b>   | <b>78%</b>  | <b>0</b>                        | <b>2</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>2</b>  | <b>22%</b> |
| <b>H2O Networks</b>            | <b>5</b>   | <b>1</b>   | <b>20%</b>  | <b>0</b>                        | <b>3</b>         | <b>1</b>      | <b>0</b> | <b>0</b> | <b>4</b>  | <b>80%</b> |
|                                |            |            |             |                                 |                  |               |          |          |           |            |
|                                |            |            |             |                                 |                  |               |          |          |           |            |
|                                |            |            |             |                                 |                  |               |          |          |           |            |
|                                |            |            |             |                                 |                  |               |          |          |           |            |
|                                |            |            |             |                                 |                  |               |          |          |           |            |
| <b>TOTALS</b>                  | <b>335</b> | <b>245</b> | <b>73%</b>  | <b>3</b>                        | <b>57</b>        | <b>21</b>     | <b>8</b> | <b>1</b> | <b>90</b> | <b>27%</b> |

GTC Pipelines, Independent Pipelines and Monoconsultants were only cored in Sth Lanarkshire, have less than 5 cores Nationally and will not be recorded in the National results as per RAUC(S) Advice Note 3

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1  | 2          | 3          | 4          | 5                               | 6                | 7             | 8         | 9        | 10        | 11         |
|--|------------|------------|------------|---------------------------------|------------------|---------------|-----------|----------|-----------|------------|
|  | CORE       | PASS       |            | FAIL - REPLACE (AGREED Yes all) |                  |               |           |          |           |            |
| West of Scotland RAUC                            |            |            |            |                                 |                  |               |           |          |           |            |
|  | Nos.       | Nos.       | %          | Voiding                         | Layer Tolerances | Material Type | Bond      | Others   | TOTAL     | %          |
|  |            |            |            |                                 |                  |               |           |          | No        |            |
| <b>BT</b>  | <b>38</b>  | <b>22</b>  | <b>58%</b> | <b>0</b>                        | <b>7</b>         | <b>7</b>      | <b>2</b>  | <b>0</b> | <b>16</b> | <b>42%</b> |
| <b>SGN</b>                                       | <b>76</b>  | <b>55</b>  | <b>72%</b> | <b>1</b>                        | <b>14</b>        | <b>5</b>      | <b>1</b>  | <b>0</b> | <b>21</b> | <b>28%</b> |
| <b>Virgin Media (Inculding ntl&amp;Telewest)</b> | <b>23</b>  | <b>13</b>  | <b>57%</b> | <b>0</b>                        | <b>7</b>         | <b>1</b>      | <b>2</b>  | <b>0</b> | <b>10</b> | <b>43%</b> |
| <b>Cable and Wireless</b>                        | <b>13</b>  | <b>9</b>   | <b>69%</b> | <b>0</b>                        | <b>2</b>         | <b>0</b>      | <b>2</b>  | <b>0</b> | <b>4</b>  | <b>31%</b> |
| <b>Scottish Power</b>                            | <b>52</b>  | <b>44</b>  | <b>85%</b> | <b>1</b>                        | <b>5</b>         | <b>1</b>      | <b>1</b>  | <b>0</b> | <b>8</b>  | <b>15%</b> |
| <b>**Scottish Water</b>                          | <b>106</b> | <b>68</b>  | <b>64%</b> | <b>0</b>                        | <b>31</b>        | <b>5</b>      | <b>2</b>  | <b>0</b> | <b>38</b> | <b>36%</b> |
| <b>Scottish &amp; Southern</b>                   | <b>5</b>   | <b>3</b>   | <b>60%</b> | <b>0</b>                        | <b>1</b>         | <b>1</b>      | <b>0</b>  | <b>0</b> | <b>2</b>  | <b>40%</b> |
| <b>TOTALS</b>                                    | <b>313</b> | <b>214</b> | <b>68%</b> | <b>2</b>                        | <b>67</b>        | <b>20</b>     | <b>10</b> | <b>0</b> | <b>99</b> | <b>32%</b> |

\*\*Scottish Water results from East Renfrewshire not recorded in the National Results as they were not agreed between both parties

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

**APPENDIX C**

Version: 1

Date: 19/05/11

NATIONAL CORING 2010/11

| 1                            | 2           | 3           | 4           | 5                                      | 6                | 7             | 8        | 9        | 10        | 11         |
|------------------------------|-------------|-------------|-------------|--|------------------|---------------|----------|----------|-----------|------------|
|                              | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE (AGREED Yes all)</b> |                  |               |          |          |           |            |
| <b>South East RAUC</b>       |             |             |             |  |                  |               |          |          |           |            |
|                              | Nos.        | Nos.        | %           | Voiding                                | Layer Tolerances | Material Type | Bond     | Others   | TOTAL     | %          |
|                              |             |             |             |  |                  |               |          |          | No        |            |
| <b>BT</b>                    | <b>32</b>   | <b>24</b>   | <b>75%</b>  | <b>0</b>                               | <b>6</b>         | <b>2</b>      | <b>0</b> | <b>0</b> | <b>8</b>  | <b>25%</b> |
| <b># SGN</b>                 | <b>77</b>   | <b>70</b>   | <b>91%</b>  | <b>0</b>                               | <b>7</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>7</b>  | <b>9%</b>  |
| <b>Virgin Media</b>          | <b>25</b>   | <b>15</b>   | <b>60%</b>  | <b>0</b>                               | <b>6</b>         | <b>2</b>      | <b>2</b> | <b>0</b> | <b>10</b> | <b>40%</b> |
| <b>Cable and Wireless</b>    | <b>4</b>    | <b>4</b>    | <b>100%</b> | <b>0</b>                               | <b>0</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>GTC Pipelines</b>         | <b>0</b>    |             |             |  |                  |               |          |          |           |            |
| <b># Scottish Power</b>      | <b>32</b>   | <b>24</b>   | <b>75%</b>  | <b>1</b>                               | <b>6</b>         | <b>1</b>      | <b>0</b> | <b>0</b> | <b>8</b>  | <b>25%</b> |
| <b>Independent Pipelines</b> | <b>0</b>    |             |             |  |                  |               |          |          |           |            |
| <b>Scottish Water</b>        | <b>64</b>   | <b>50</b>   | <b>78%</b>  | <b>1</b>                               | <b>9</b>         | <b>3</b>      | <b>1</b> | <b>0</b> | <b>14</b> | <b>22%</b> |
| <b>Monoconsultants</b>       | <b>0</b>    |             |             |  |                  |               |          |          |           |            |
| <b>Energetics</b>            | <b>15</b>   | <b>10</b>   | <b>67%</b>  | <b>2</b>                               | <b>3</b>         | <b>0</b>      | <b>0</b> | <b>0</b> | <b>5</b>  | <b>33%</b> |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
|                              |             |             |             |  |                  |               |          |          |           |            |
| <b>TOTALS</b>                | <b>249</b>  | <b>197</b>  | <b>79%</b>  | <b>4</b>                               | <b>37</b>        | <b>8</b>      | <b>3</b> | <b>0</b> | <b>52</b> | <b>21%</b> |

# 16 Core Fail results from Edinburgh disputed by PUs (SGN 11 and SP 5) and not recorded in this spreadsheet

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1                             | 2           | 3           | 4           | 5                                  | 6                | 7             | 8        | 9      | 10       | 11          |
|-------------------------------|-------------|-------------|-------------|------------------------------------|------------------|---------------|----------|--------|----------|-------------|
| Argyll and Bute               | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE - AGREED Yes</b> |                  |               |          |        |          |             |
|                               | Nos.        | Nos.        | %           | Voiding                            | Layer Tolerances | Material Type | Bond     | Others | TOTAL    | %           |
| <b>BT</b>                     | <b>4</b>    | <b>4</b>    | <b>100%</b> |                                    |                  |               |          |        | <b>0</b> | <b>100%</b> |
| <b>SGN</b>                    | <b>5</b>    | <b>2</b>    | <b>40%</b>  |                                    | <b>2</b>         | <b>1</b>      |          |        | <b>3</b> | <b>60%</b>  |
| <b>Virgin Media</b>           | <b>0</b>    | <b>0</b>    | <b>0%</b>   |                                    |                  |               |          |        | <b>0</b> |             |
| <b>Scottish Power</b>         | <b>4</b>    | <b>4</b>    | <b>100%</b> |                                    |                  |               |          |        | <b>0</b> |             |
| <b>Scottish Water</b>         | <b>22</b>   | <b>22</b>   | <b>100%</b> |                                    |                  |               |          |        | <b>0</b> |             |
| <b>Cable &amp; Wireless</b>   | <b>0</b>    | <b>0</b>    | <b>0%</b>   |                                    |                  |               |          |        | <b>0</b> |             |
| <b>Scottish&amp; Southern</b> | <b>5</b>    | <b>3</b>    | <b>60%</b>  |                                    | <b>1</b>         | <b>1</b>      |          |        | <b>2</b> | <b>40%</b>  |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
|                               |             |             |             |                                    |                  |               |          |        |          |             |
| <b>TOTALS</b>                 | <b>40</b>   | <b>35</b>   | <b>88%</b>  | <b>0</b>                           | <b>3</b>         | <b>2</b>      | <b>0</b> |        | <b>5</b> | <b>13%</b>  |

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 16/05/2011

NATIONAL CORING 2010/11

| 1                                    | 2         | 3        | 4          | 5  | 6              | 7                | 8        | 9        | 10       | 11         |
|--------------------------------------|-----------|----------|------------|--|----------------|------------------|----------|----------|----------|------------|
| Roads Authority<br>East Renfrewshire | CORE      | PASS     |            | FAIL - REPLACE (AGREED Yes or No) eg Y7/N1 |                |                  |          |          |          |            |
|                                      | Nos.      | Nos.     | %          | Voiding                                    | Tolerance<br>s | Material<br>Type | Bond     | Others   | TOTAL    | %          |
| <b>SGN</b>                           | <b>5</b>  | <b>2</b> | <b>40%</b> | <b>1</b>                                   | <b>2</b>       |                  |          |          | <b>3</b> | <b>60%</b> |
| <b>Scottish Power</b>                | <b>5</b>  | <b>4</b> | <b>80%</b> | <b>1</b>                                   |                |                  |          |          | <b>1</b> | <b>20%</b> |
| <b>*Scottish Water</b>               | <b>5</b>  | <b>3</b> | <b>60%</b> |  | <b>1</b>       |                  |          | <b>1</b> | <b>2</b> | <b>40%</b> |
| <b>TOTALS</b>                        | <b>15</b> | <b>9</b> | <b>60%</b> | <b>2</b>                                   | <b>3</b>       | <b>0</b>         | <b>0</b> |          | <b>6</b> | <b>40%</b> |

|                                  |           |          |            |          |          |          |          |          |          |            |
|----------------------------------|-----------|----------|------------|----------|----------|----------|----------|----------|----------|------------|
| <b>TOTAL for National Report</b> | <b>10</b> | <b>6</b> | <b>60%</b> | <b>2</b> | <b>2</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>4</b> | <b>40%</b> |
|----------------------------------|-----------|----------|------------|----------|----------|----------|----------|----------|----------|------------|

\*SW results will not be recorded in the National Results as they were not agreed between both parties

Only cores agreed as a fail should be recorded on this spreadsheet



TYPE of CORING PROGRAMME:

APPENDIX B

Version: 01

Date: 08/03/2011

NATIONAL CORING 2010/11

| 1                     | 2         | 3         | 4          | 5                           | 6                | 7             | 8        | 9      | 10        | 11         |
|-----------------------|-----------|-----------|------------|-----------------------------|------------------|---------------|----------|--------|-----------|------------|
| West Dunbartonshire   | CORE      | PASS      |            | FAIL - REPLACE - AGREED YES |                  |               |          |        |           |            |
|                       | Nos.      | Nos.      | %          | Voiding                     | Layer Tolerances | Material Type | Bond     | Others | TOTAL     | %          |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
| <b>BT</b>             | <b>8</b>  | <b>6</b>  | <b>75%</b> |                             | <b>2</b>         | <b>0</b>      |          |        | <b>2</b>  | <b>25%</b> |
| <b>* SGN</b>          | <b>7</b>  | <b>5</b>  | <b>71%</b> |                             | <b>2</b>         |               |          |        | <b>2</b>  | <b>29%</b> |
| <b>Virgin Media</b>   | <b>8</b>  | <b>5</b>  | <b>63%</b> |                             | <b>2</b>         | <b>1</b>      |          |        | <b>3</b>  | <b>38%</b> |
| <b>Scottish Power</b> | <b>8</b>  | <b>7</b>  | <b>88%</b> |                             | <b>1</b>         |               |          |        | <b>1</b>  | <b>13%</b> |
| <b>Scottish Water</b> | <b>9</b>  | <b>4</b>  | <b>44%</b> | <b>0</b>                    | <b>1</b>         | <b>2</b>      | <b>2</b> |        | <b>5</b>  | <b>56%</b> |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
|                       |           |           |            |                             |                  |               |          |        |           |            |
| <b>TOTALS</b>         | <b>40</b> | <b>27</b> | <b>68%</b> | <b>0</b>                    | <b>8</b>         | <b>3</b>      | <b>2</b> |        | <b>13</b> | <b>33%</b> |

\*Core 4 for SGN: no sign on ground that GAS4 core was taken at proposed location, so the result has not been recorded on this spreadsheet  
 Virgin: no agreement reached despite several R/A attempts to contact within Advice Note 3 timescales. Results recorded in this spreadsheet  
 S Power: no agreement reached despite several R/A attempts to contact within Advice Note 3 timescales. Results recorded in this spreadsheet

NATIONAL CORING 2010/11

| 1                                     | 2           | 3           | 4           | 5                                   | 6                   | 7                | 8        | 9        | 10       | 11         |
|---------------------------------------|-------------|-------------|-------------|-------------------------------------|---------------------|------------------|----------|----------|----------|------------|
|                                       | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE (AGREED Yes )</b> |                     |                  |          |          |          |            |
| <b>Roads Authority<br/>Inverclyde</b> | Nos.        | Nos.        | %           | Voiding                             | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL    | %          |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
| <b>Scottish Water</b>                 | <b>6</b>    | <b>5</b>    | <b>83%</b>  |                                     | <b>1</b>            |                  |          |          | <b>1</b> | <b>17%</b> |
| <b>BT</b>                             | <b>5</b>    | <b>3</b>    | <b>60%</b>  |                                     | <b>1</b>            | <b>1</b>         |          |          | <b>2</b> | <b>40%</b> |
| <b>SGN</b>                            | <b>5</b>    | <b>3</b>    | <b>60%</b>  |                                     |                     | <b>2</b>         |          |          | <b>2</b> | <b>40%</b> |
| <b>Scottish Power</b>                 | <b>5</b>    | <b>5</b>    | <b>100%</b> |                                     |                     |                  |          |          | <b>0</b> |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
|                                       |             |             |             |                                     |                     |                  |          |          |          |            |
| <b>TOTALS</b>                         | <b>21</b>   | <b>16</b>   | <b>76%</b>  | <b>0</b>                            | <b>2</b>            | <b>3</b>         | <b>0</b> | <b>0</b> | <b>5</b> | <b>24%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1   | 2           | 3           | 4          | 5                                     | 6                   | 7                | 8        | 9      | 10        | 11         |
|---|-------------|-------------|------------|---------------------------------------|---------------------|------------------|----------|--------|-----------|------------|
|   | <b>CORE</b> | <b>PASS</b> |            | <b>FAIL - REPLACE (AGREED Yes 59)</b> |                     |                  |          |        |           |            |
| <b>Roads Authority<br/>Glasgow City Council</b> | Nos.        | Nos.        | %          | Voiding                               | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL     | %          |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
| <b>Scottish Power</b>                           | <b>22</b>   | <b>16</b>   | <b>73%</b> |                                       | <b>4</b>            | <b>1</b>         | <b>1</b> |        | <b>6</b>  | <b>27%</b> |
| <b>Cable &amp; Wireless</b>                     | <b>8</b>    | <b>4</b>    | <b>50%</b> |                                       | <b>2</b>            |                  | <b>2</b> |        | <b>4</b>  | <b>50%</b> |
| <b>Telewest</b>                                 | <b>5</b>    | <b>2</b>    | <b>40%</b> |                                       | <b>3</b>            |                  |          |        | <b>3</b>  | <b>60%</b> |
| <b>SGN</b>                                      | <b>40</b>   | <b>33</b>   | <b>83%</b> |                                       | <b>5</b>            | <b>1</b>         | <b>1</b> |        | <b>7</b>  | <b>18%</b> |
| <b>NTL</b>                                      | <b>5</b>    | <b>3</b>    | <b>60%</b> |                                       | <b>1</b>            |                  | <b>1</b> |        | <b>2</b>  | <b>40%</b> |
| <b>BT</b>                                       | <b>17</b>   | <b>6</b>    | <b>35%</b> |                                       | <b>4</b>            | <b>5</b>         | <b>2</b> |        | <b>11</b> | <b>65%</b> |
| <b>Scottish Water</b>                           | <b>50</b>   | <b>24</b>   | <b>48%</b> |                                       | <b>23</b>           | <b>3</b>         |          |        | <b>26</b> | <b>52%</b> |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
|   |             |             |            |                                       |                     |                  |          |        |           |            |
| <b>TOTALS</b>                                   | <b>147</b>  | <b>88</b>   | <b>60%</b> | <b>0</b>                              | <b>42</b>           | <b>10</b>        | <b>7</b> |        | <b>59</b> | <b>40%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 01

Date: 08/03/2011

NATIONAL CORING 2010/11

| 1                           | 2         | 3         | 4           | 5                           | 6                | 7             | 8        | 9      | 10        | 11         |
|-----------------------------|-----------|-----------|-------------|-----------------------------|------------------|---------------|----------|--------|-----------|------------|
| Renfrewshire                | CORE      | PASS      |             | FAIL - REPLACE - AGREED Y55 |                  |               |          |        |           |            |
|                             | Nos.      | Nos.      | %           | Voiding                     | Layer Tolerances | Material Type | Bond     | Others | TOTAL     | %          |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
| <b>BT</b>                   | <b>4</b>  | <b>3</b>  | <b>75%</b>  |                             |                  | <b>1</b>      |          |        | <b>1</b>  | <b>25%</b> |
| <b>SGN</b>                  | <b>14</b> | <b>10</b> | <b>71%</b>  |                             | <b>3</b>         | <b>1</b>      |          |        | <b>4</b>  | <b>29%</b> |
| <b>Virgin Media</b>         | <b>5</b>  | <b>3</b>  | <b>60%</b>  |                             | <b>1</b>         |               | <b>1</b> |        | <b>2</b>  | <b>40%</b> |
| <b>Scottish Power</b>       | <b>8</b>  | <b>8</b>  | <b>100%</b> |                             |                  |               |          |        | <b>0</b>  |            |
| <b>Scottish Water</b>       | <b>19</b> | <b>13</b> | <b>68%</b>  |                             | <b>6</b>         |               |          |        | <b>6</b>  | <b>32%</b> |
| <b>Cable &amp; Wireless</b> | <b>5</b>  | <b>5</b>  | <b>100%</b> |                             |                  |               |          |        | <b>0</b>  |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
|                             |           |           |             |                             |                  |               |          |        |           |            |
| <b>TOTALS</b>               | <b>55</b> | <b>42</b> | <b>76%</b>  | <b>0</b>                    | <b>10</b>        | <b>2</b>      | <b>1</b> |        | <b>13</b> | <b>24%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1                                       | 2         | 3         | 4          | 5                           | 6                   | 7                | 8        | 9        | 10        | 11         |
|---|-----------|-----------|------------|-----------------------------|---------------------|------------------|----------|----------|-----------|------------|
| Roads Authority<br>West Lothian Council | CORE      | PASS      |            | FAIL - REPLACE (ALL AGREED) |                     |                  |          |          |           |            |
|   | Nos.      | Nos.      | %          | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL     | %          |
| BT Openreach                            | 7         | 5         | 71%        |                             | 1                   | 1                |          |          | 2         | 29%        |
| Scotland Gas Networks                   | 10        | 8         | 80%        |                             | 2                   |                  |          |          | 2         | 20%        |
| Scottish Power                          | 7         | 4         | 57%        |                             | 2                   | 1                |          |          | 3         | 43%        |
| Scottish Water                          | 12        | 8         | 67%        | 0                           | 3                   | 0                | 1        | 0        | 4         | 33%        |
| Cable & Wireless                        | 4         | 4         | 100%       | 0                           | 0                   | 0                | 0        | 0        | 0         |            |
| Virgin Media                            | 5         | 3         | 60%        |                             | 1                   |                  | 1        | 0        | 2         | 40%        |
| Energetics                              | 5         | 3         | 60%        | 0                           | 2                   | 0                | 0        | 0        | 2         | 40%        |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
|   |           |           |            |                             |                     |                  |          |          |           |            |
| <b>TOTALS</b>                           | <b>50</b> | <b>35</b> | <b>70%</b> | <b>0</b>                    | <b>11</b>           | <b>2</b>         | <b>2</b> | <b>0</b> | <b>15</b> | <b>30%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

| TYPE of CORING PROGRAMME: National Coring Programme - Midlothian Council Area |           |           |             |                             |                     |                  |          |        |          |            |
|---|-----------|-----------|-------------|-----------------------------|---------------------|------------------|----------|--------|----------|------------|
| NATIONAL CORING 2010/11   |           |           |             |                             |                     |                  |          |        |          |            |
| 1   | 2         | 3         | 4           | 5                           | 6                   | 7                | 8        | 9      | 10       | 11         |
| Roads Authority<br>Midlothian   | CORE      | PASS      |             | FAIL - REPLACE (ALL AGREED) |                     |                  |          | yes    |          |            |
|   | Nos.      | Nos.      | %           | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL    | %          |
|   |           |           |             |                             |                     |                  |          |        |          |            |
| <b>Scottish Water</b>   | <b>6</b>  | <b>4</b>  | <b>67%</b>  |                             |                     | <b>2</b>         |          |        | <b>2</b> | <b>33%</b> |
| <b>Scottish Power</b>   | <b>5</b>  | <b>4</b>  | <b>80%</b>  | <b>1</b>                    |                     |                  |          |        | <b>1</b> | <b>20%</b> |
| <b>BT</b>   | <b>4</b>  | <b>3</b>  | <b>75%</b>  |                             | <b>1</b>            |                  |          |        | <b>1</b> | <b>25%</b> |
| <b>SGN</b>  | <b>5</b>  | <b>5</b>  | <b>100%</b> |                             |                     |                  |          |        | <b>0</b> |            |
| <b>Energetics</b>   | <b>5</b>  | <b>3</b>  | <b>60%</b>  | <b>1</b>                    | <b>1</b>            |                  |          |        | <b>2</b> | <b>40%</b> |
|   |           |           |             |                             |                     |                  |          |        |          |            |
| <b>TOTALS</b>   | <b>25</b> | <b>19</b> | <b>76%</b>  | <b>2</b>                    | <b>2</b>            | <b>2</b>         | <b>0</b> |        | <b>6</b> | <b>24%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1   | 2         | 3         | 4          | 5                           | 6                | 7             | 8        | 9        | 10       | 11         |
|---|-----------|-----------|------------|-----------------------------|------------------|---------------|----------|----------|----------|------------|
| Roads Authority<br>Scottish Borders Council | CORE      | PASS      |            | FAIL - REPLACE (ALL AGREED) |                  |               |          |          |          |            |
|   | Nos.      | Nos.      | %          | Voiding                     | Layer Tolerances | Material Type | Bond     | Others   | TOTAL    | %          |
| BT  | 5         | 4         | 80%        | 0                           | 1                | 0             | 0        | 0        | 1        | 20%        |
| SGN   | 6         | 4         | 67%        |                             | 2                |               |          |          | 2        | 33%        |
| S Power                                     | 5         | 2         | 40%        |                             | 3                |               |          |          | 3        | 60%        |
| S Water                                     | 9         | 6         | 67%        | 1                           | 1                | 1             |          |          | 3        | 33%        |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
|   |           |           |            |                             |                  |               |          |          |          |            |
| <b>TOTALS</b>                               | <b>25</b> | <b>16</b> | <b>64%</b> | <b>1</b>                    | <b>7</b>         | <b>1</b>      | <b>0</b> | <b>0</b> | <b>9</b> | <b>36%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1                                       | 2         | 3         | 4          | 5                           | 6                   | 7                | 8        | 9        | 10       | 11         |
|---|-----------|-----------|------------|-----------------------------|---------------------|------------------|----------|----------|----------|------------|
| Roads Authority<br>East Lothian Council | CORE      | PASS      |            | FAIL - REPLACE (ALL AGREED) |                     |                  |          |          |          |            |
|   | Nos.      | Nos.      | %          | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL    | %          |
| BT Openreach                            | 5         | 2         | 40%        |                             | 2                   | 1                |          |          | 3        | 60%        |
| Scotland Gas Networks                   | 8         | 8         | 100%       |                             |                     |                  |          |          | 0        |            |
| Scottish Power                          | 6         | 6         | 100%       |                             |                     |                  |          |          | 0        |            |
| Scottish Water                          | 8         | 8         | 100%       |                             |                     |                  |          |          | 0        |            |
| Energetics                              | 5         | 4         | 80%        | 1                           |                     |                  |          |          | 1        | 20%        |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
|   |           |           |            |                             |                     |                  |          |          |          |            |
| <b>TOTALS</b>                           | <b>32</b> | <b>28</b> | <b>88%</b> | <b>1</b>                    | <b>2</b>            | <b>1</b>         | <b>0</b> | <b>0</b> | <b>4</b> | <b>13%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet



NATIONAL CORING 2010/11

| 1  | 2          | 3         | 4          | 5                           | 6                | 7             | 8        | 9        | 10        | 11         |
|--|------------|-----------|------------|-----------------------------|------------------|---------------|----------|----------|-----------|------------|
| Roads Authority<br>City of Edinburgh Council | CORE       | PASS      |            | FAIL - REPLACE (ALL AGREED) |                  |               |          |          |           |            |
|  | Nos.       | Nos.      | %          | Voiding                     | Layer Tolerances | Material Type | Bond     | Others   | TOTAL     | %          |
| BT Openreach                                 | 11         | 10        | 91%        |                             | 1                |               |          |          | 1         | 9%         |
| # Scotland Gas Networks                      | 48         | 45        | 94%        |                             | 3                |               |          |          | 3         | 6%         |
| # Scottish Power                             | 9          | 8         | 89%        |                             | 1                |               |          |          | 1         | 11%        |
| Scottish Water                               | 29         | 24        | 83%        | 0                           | 5                |               |          |          | 5         | 17%        |
| Cable & Wireless                             | 0          | 0         |            |                             |                  |               |          |          | 0         |            |
| Virgin Media                                 | 20         | 12        | 60%        |                             | 5                | 2             | 1        |          | 8         | 40%        |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
|  |            |           |            |                             |                  |               |          |          |           |            |
| <b>TOTALS</b>                                | <b>117</b> | <b>99</b> | <b>85%</b> | <b>0</b>                    | <b>15</b>        | <b>2</b>      | <b>1</b> | <b>0</b> | <b>18</b> | <b>15%</b> |

# 16 Core Fail results disputed by PUs (SGN 11 and SP 5) and not recorded in this spreadsheet  
 Only cores agreed as a fail should be recorded on this spreadsheet



NATIONAL CORING 2010/11

| 1                                  | 2         | 3         | 4          | 5                       | 6                | 7             | 8        | 9      | 10       | 11         |
|------------------------------------|-----------|-----------|------------|-------------------------|------------------|---------------|----------|--------|----------|------------|
| Roads Authority<br>PERTH & KINROSS | CORE      | PASS      |            | FAIL - REPLACE (Agreed) |                  |               |          |        |          |            |
|                                    | Nos.      | Nos.      | %          | Voiding                 | Layer Tolerances | Material Type | Bond     | Others | TOTAL    | %          |
| SSE                                | 8         | 7         | 88%        |                         |                  | 1             |          |        | 1        | 13%        |
| SGN                                | 8         | 8         | 100%       |                         |                  |               |          |        | 0        |            |
| BT                                 | 7         | 3         | 43%        |                         | 2                |               | 2        |        | 4        | 57%        |
| SCOTTISH WATER                     | 9         | 9         | 100%       |                         |                  |               |          |        | 0        |            |
| VIRGIN MEDIA                       | 4         | 3         | 75%        |                         | 1                |               |          |        | 1        | 25%        |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
|                                    |           |           |            |                         |                  |               |          |        |          |            |
| <b>TOTALS</b>                      | <b>36</b> | <b>30</b> | <b>83%</b> | <b>0</b>                | <b>3</b>         | <b>1</b>      | <b>2</b> |        | <b>6</b> | <b>17%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

NATIONAL CORING 2010/11

| 1                               | 2         | 3         | 4          | 5                            | 6                | 7             | 8        | 9      | 10        | 11         |
|---------------------------------|-----------|-----------|------------|------------------------------|------------------|---------------|----------|--------|-----------|------------|
| Roads Authority<br>FIFE COUNCIL | CORE      | PASS      |            | FAIL - REPLACE (AGREED Yes ) |                  |               |          |        |           |            |
|                                 | Nos.      | Nos.      | %          | Voiding                      | Layer Tolerances | Material Type | Bond     | Others | TOTAL     | %          |
| SP                              | 17        | 14        | 82%        | 1                            | 2                |               |          |        | 3         | 18%        |
| SW                              | 30        | 19        | 63%        |                              | 8                |               | 3        |        | 11        | 37%        |
| BT                              | 15        | 6         | 40%        | 1                            | 3                |               | 5        |        | 9         | 60%        |
| SGN                             | 17        | 14        | 82%        |                              | 2                | 1             |          |        | 3         | 18%        |
| Virgin Media                    | 5         | 2         | 40%        |                              | 2                |               | 1        |        | 3         | 60%        |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
|                                 |           |           |            |                              |                  |               |          |        |           |            |
| <b>TOTALS</b>                   | <b>84</b> | <b>55</b> | <b>65%</b> | <b>2</b>                     | <b>17</b>        | <b>1</b>      | <b>9</b> |        | <b>29</b> | <b>35%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version 02 Date 07/03/11

NATIONAL CORING 2010/11

| 1                     | 2         | 3         | 4          | 5                             | 6                | 7             | 8        | 9      | 10        | 11         |
|-----------------------|-----------|-----------|------------|-------------------------------|------------------|---------------|----------|--------|-----------|------------|
| Falkirk Council       | CORE      | PASS      |            | FAIL - REPLACE - AGREED - Yes |                  |               |          |        |           |            |
|                       | Nos.      | Nos.      | %          | Voiding                       | Layer Tolerances | Material Type | Bond     | Others | TOTAL     | %          |
| Openreach (BT)        | 5         | 1         | 20%        |                               | 3                | 1             |          |        | 4         | 80%        |
| Scottish Power        | 5         | 3         | 60%        |                               | 2                |               |          |        | 2         | 40%        |
| Scotland Gas Networks | 9         | 8         | 89%        |                               | 1                | 0             |          |        | 1         | 11%        |
| Scottish Water        | 14        | 8         | 57%        |                               | 6                |               |          |        | 6         | 43%        |
| Virgin Media          | 5         | 4         | 80%        |                               |                  | 1             |          |        | 1         | 20%        |
|                       |           |           |            |                               |                  |               |          |        |           |            |
|                       |           |           |            |                               |                  |               |          |        |           |            |
|                       |           |           |            |                               |                  |               |          |        |           |            |
|                       |           |           |            |                               |                  |               |          |        |           |            |
|                       |           |           |            |                               |                  |               |          |        |           |            |
|                       |           |           |            |                               |                  |               |          |        |           |            |
|                       |           |           |            |                               |                  |               |          |        |           |            |
| <b>TOTALS</b>         | <b>38</b> | <b>24</b> | <b>63%</b> | <b>0</b>                      | <b>12</b>        | <b>2</b>      | <b>0</b> |        | <b>14</b> | <b>37%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

APPENDIX B

Version: 02

Date: 17/03/2011

NATIONAL CORING 2010/11

| 1                                      | 2           | 3           | 4           | 5                                  | 6                   | 7                | 8        | 9      | 10       | 11         |
|--|-------------|-------------|-------------|------------------------------------|---------------------|------------------|----------|--------|----------|------------|
|  | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE (AGREED Yes)</b> |                     |                  |          |        |          |            |
| <b>Roads Authority<br/>Dundee City</b> | Nos.        | Nos.        | %           | Voiding                            | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL    | %          |
| <b>Openreach</b>                       | <b>5</b>    | <b>4</b>    | <b>80%</b>  |                                    | <b>1</b>            |                  |          |        | <b>1</b> | <b>20%</b> |
| <b>SGN</b>                             | <b>10</b>   | <b>8</b>    | <b>80%</b>  |                                    | <b>2</b>            |                  |          |        | <b>2</b> | <b>20%</b> |
| <b>SSE</b>                             | <b>8</b>    | <b>7</b>    | <b>88%</b>  | <b>1</b>                           |                     |                  |          |        | <b>1</b> | <b>12%</b> |
| <b>Scottish Water</b>                  | <b>9</b>    | <b>8</b>    | <b>89%</b>  |                                    |                     | <b>1</b>         |          |        | <b>1</b> | <b>11%</b> |
| <b>Virgin Media</b>                    | <b>5</b>    | <b>5</b>    | <b>100%</b> |                                    |                     |                  |          |        | <b>0</b> |            |
| <b>TOTALS</b>                          | <b>37</b>   | <b>32</b>   | <b>86%</b>  | <b>1</b>                           | <b>3</b>            | <b>1</b>         | <b>0</b> |        | <b>5</b> | <b>14%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

APPENDIX B

Version: 01

Date: 16/02/2011

NATIONAL CORING 2010/11

| 1                           | 2         | 3         | 4          | 5                           | 6                   | 7                | 8        | 9      | 10       | 11         |
|-----------------------------|-----------|-----------|------------|-----------------------------|---------------------|------------------|----------|--------|----------|------------|
| Clackmannanshire<br>Council | CORE      | PASS      |            | FAIL - REPLACE (AGREED YES) |                     |                  |          |        |          |            |
|                             | Nos.      | Nos.      | %          | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL    | %          |
| BT Openreach                | 4         | 1         | 25%        |                             | 2                   | 1                |          |        | 3        | 75%        |
| SGN                         | 5         | 5         | 100%       |                             |                     |                  |          |        | 0        |            |
| SPPS                        | 5         | 5         | 100%       |                             |                     |                  |          |        | 0        |            |
| SW                          | 5         | 5         | 100%       |                             |                     |                  |          |        | 0        |            |
|                             |           |           |            |                             |                     |                  |          |        |          |            |
|                             |           |           |            |                             |                     |                  |          |        |          |            |
| <b>TOTALS</b>               | <b>19</b> | <b>16</b> | <b>84%</b> | <b>0</b>                    | <b>2</b>            | <b>1</b>         | <b>0</b> |        | <b>3</b> | <b>16%</b> |

NATIONAL CORING 2010/11

| 1              | 2         | 3         | 4          | 5                           | 6                | 7             | 8        | 9      | 10       | 11         |
|----------------|-----------|-----------|------------|-----------------------------|------------------|---------------|----------|--------|----------|------------|
| Angus Council  | CORE      | PASS      |            | FAIL - REPLACE (AGREED ) Y6 |                  |               |          |        |          |            |
|                | Nos.      | Nos.      | %          | Voiding                     | Layer Tolerances | Material Type | Bond     | Others | TOTAL    | %          |
| BT Openreach   | 6         | 4         | 67%        |                             | 1                | 1             |          |        | 2        | 33%        |
| SGN            | 6         | 6         | 100%       |                             |                  |               |          |        | 0        |            |
| SSE            | 5         | 4         | 80%        |                             |                  |               | 1        |        | 1        | 20%        |
| VIRGIN MEDIA   | 4         | 4         | 100%       |                             |                  |               |          |        | 0        |            |
| SCOTTISH WATER | 7         | 4         | 57%        |                             | 2                | 1             |          |        | 3        | 43%        |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
|                |           |           |            |                             |                  |               |          |        |          |            |
| <b>TOTALS</b>  | <b>28</b> | <b>22</b> | <b>79%</b> | <b>0</b>                    | <b>3</b>         | <b>2</b>      | <b>1</b> |        | <b>6</b> | <b>21%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet



**CORING RECORD SHEET**

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 31/03/2011

NATIONAL CORING 2010/11

| 1  | 2           | 3           | 4           | 5                                  | 6                   | 7                | 8        | 9      | 10        | 11          |
|--|-------------|-------------|-------------|------------------------------------|---------------------|------------------|----------|--------|-----------|-------------|
| <b>Roads Authority<br/>Aberdeen City</b> | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE (ALL AGREED)</b> |                     |                  |          |        |           |             |
|  | Nos.        | Nos.        | %           | Voiding                            | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL     | %           |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
| <b>BT</b>                                | <b>5</b>    | <b>0</b>    | <b>0%</b>   | <b>1</b>                           |                     | <b>3</b>         | <b>1</b> |        | <b>5</b>  | <b>100%</b> |
| <b>Cable &amp; Wireless</b>              | <b>5</b>    | <b>4</b>    | <b>80%</b>  |                                    | <b>1</b>            |                  |          |        | <b>1</b>  | <b>20%</b>  |
| <b>Scotland Gas Networks</b>             | <b>11</b>   | <b>9</b>    | <b>82%</b>  |                                    | <b>2</b>            |                  |          |        | <b>2</b>  | <b>18%</b>  |
| <b>Scottish &amp; Southern</b>           | <b>7</b>    | <b>6</b>    | <b>86%</b>  | <b>1</b>                           |                     |                  |          |        | <b>1</b>  | <b>14%</b>  |
| <b>Scottish Water</b>                    | <b>12</b>   | <b>8</b>    | <b>67%</b>  | <b>3</b>                           |                     |                  | <b>1</b> |        | <b>4</b>  | <b>33%</b>  |
| <b>Thus</b>                              | <b>5</b>    | <b>5</b>    | <b>100%</b> |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
|  |             |             |             |                                    |                     |                  |          |        |           |             |
| <b>TOTALS</b>                            | <b>45</b>   | <b>32</b>   | <b>71%</b>  | <b>5</b>                           | <b>3</b>            | <b>3</b>         | <b>2</b> |        | <b>13</b> | <b>29%</b>  |

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 30/03/2011

NATIONAL CORING 2010/11

| 1                                | 2         | 3         | 4           | 5                           | 6                   | 7                | 8        | 9      | 10       | 11         |
|----------------------------------|-----------|-----------|-------------|-----------------------------|---------------------|------------------|----------|--------|----------|------------|
| Roads Authority<br>Aberdeenshire | CORE      | PASS      |             | FAIL - REPLACE (ALL AGREED) |                     |                  |          |        |          |            |
|                                  | Nos.      | Nos.      | %           | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL    | %          |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
| <b>BT</b>                        | <b>12</b> | <b>11</b> | <b>92%</b>  |                             | <b>1</b>            |                  |          |        | <b>1</b> | <b>8%</b>  |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
| <b>Scotland Gas Networks</b>     | <b>11</b> | <b>11</b> | <b>100%</b> |                             |                     |                  |          |        | <b>0</b> |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
| <b>Scottish &amp; Southern</b>   | <b>7</b>  | <b>5</b>  | <b>71%</b>  |                             | <b>2</b>            |                  |          |        | <b>2</b> | <b>29%</b> |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
| <b>Scottish Water</b>            | <b>16</b> | <b>15</b> | <b>94%</b>  |                             | <b>1</b>            |                  |          |        | <b>1</b> | <b>6%</b>  |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
|                                  |           |           |             |                             |                     |                  |          |        |          |            |
| <b>TOTALS</b>                    | <b>46</b> | <b>42</b> | <b>91%</b>  | <b>0</b>                    | <b>4</b>            | <b>0</b>         | <b>0</b> |        | <b>4</b> | <b>9%</b>  |

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 11/07/2011

NATIONAL CORING 2010/11

| 1                              | 2         | 3         | 4           | 5                           | 6                   | 7                | 8        | 9      | 10        | 11         |
|--------------------------------|-----------|-----------|-------------|-----------------------------|---------------------|------------------|----------|--------|-----------|------------|
| Roads Authority<br>Highland    | CORE      | PASS      |             | FAIL - REPLACE (ALL AGREED) |                     |                  |          |        |           |            |
|                                | Nos.      | Nos.      | %           | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL     | %          |
| <b>BT</b>                      | <b>26</b> | <b>18</b> | <b>69%</b>  | <b>4</b>                    | <b>1</b>            | <b>2</b>         | <b>1</b> |        | <b>8</b>  | <b>31%</b> |
| <b>Cable &amp; Wireless</b>    | <b>5</b>  | <b>5</b>  | <b>100%</b> |                             |                     |                  |          |        | <b>0</b>  |            |
| <b>Scotland Gas Networks</b>   | <b>7</b>  | <b>7</b>  | <b>100%</b> |                             |                     |                  |          |        | <b>0</b>  |            |
| <b>Scottish &amp; Southern</b> | <b>11</b> | <b>6</b>  | <b>55%</b>  |                             | <b>4</b>            |                  | <b>1</b> |        | <b>5</b>  | <b>45%</b> |
| <b>Scottish Water</b>          | <b>13</b> | <b>11</b> | <b>85%</b>  | <b>1</b>                    |                     | <b>1</b>         |          |        | <b>2</b>  | <b>15%</b> |
| <b>TOTALS</b>                  | <b>62</b> | <b>47</b> | <b>76%</b>  | <b>5</b>                    | <b>5</b>            | <b>3</b>         | <b>2</b> |        | <b>15</b> | <b>24%</b> |

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: 04/04/2011

NATIONAL CORING 2010/11

| 1                              | 2         | 3         | 4           | 5                           | 6                   | 7                | 8        | 9      | 10       | 11         |
|--------------------------------|-----------|-----------|-------------|-----------------------------|---------------------|------------------|----------|--------|----------|------------|
| Roads Authority<br>Moray       | CORE      | PASS      |             | FAIL - REPLACE (ALL AGREED) |                     |                  |          |        |          |            |
|                                | Nos.      | Nos.      | %           | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others | TOTAL    | %          |
| <b>BT</b>                      | <b>5</b>  | <b>5</b>  | <b>100%</b> |                             |                     |                  |          |        | <b>0</b> |            |
| <b>Scotland Gas Networks</b>   | <b>6</b>  | <b>6</b>  | <b>100%</b> |                             |                     |                  |          |        | <b>0</b> |            |
| <b>Scottish &amp; Southern</b> | <b>4</b>  | <b>2</b>  | <b>50%</b>  | <b>1</b>                    | <b>1</b>            |                  |          |        | <b>2</b> | <b>50%</b> |
| <b>Scottish Water</b>          | <b>8</b>  | <b>5</b>  | <b>63%</b>  |                             | <b>1</b>            | <b>1</b>         | <b>1</b> |        | <b>3</b> | <b>38%</b> |
| <b>Thus</b>                    | <b>1</b>  | <b>1</b>  | <b>100%</b> |                             |                     |                  |          |        | <b>0</b> |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
|                                |           |           |             |                             |                     |                  |          |        |          |            |
| <b>TOTALS</b>                  | <b>24</b> | <b>19</b> | <b>79%</b>  | <b>1</b>                    | <b>2</b>            | <b>1</b>         | <b>1</b> |        | <b>5</b> | <b>21%</b> |



TYPE of CORING PROGRAMME:

APPENDIX B

Version:1

Date: 15/03/2010

NATIONAL CORING 2010/11

| 1                            | 2           | 3           | 4           | 5                                  | 6                | 7             | 8        | 9        | 10       | 11         |
|------------------------------|-------------|-------------|-------------|------------------------------------|------------------|---------------|----------|----------|----------|------------|
|                              | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE (ALL AGREED)</b> |                  |               |          |          |          |            |
| <b>East Ayrshire Council</b> | Nos.        | Nos.        | %           | Voiding                            | Layer Tolerances | Material Type | Bond     | Others   | TOTAL    | %          |
|                              |             |             |             |                                    |                  |               |          |          | No       |            |
| <b>BT</b>                    | <b>5</b>    | <b>4</b>    | <b>80%</b>  |                                    | <b>1</b>         |               |          |          | <b>1</b> | <b>20%</b> |
| <b>SGN</b>                   | <b>9</b>    | <b>6</b>    | <b>67%</b>  |                                    | <b>2</b>         | <b>1</b>      |          |          | <b>3</b> | <b>33%</b> |
| <b>Scot Power</b>            | <b>5</b>    | <b>5</b>    | <b>100%</b> |                                    |                  |               |          |          |          |            |
| <b>Scot Water</b>            | <b>15</b>   | <b>11</b>   | <b>73%</b>  |                                    | <b>3</b>         |               | <b>1</b> |          | <b>4</b> | <b>27%</b> |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
|                              |             |             |             |                                    |                  |               |          |          |          |            |
| <b>TOTALS</b>                | <b>34</b>   | <b>26</b>   | <b>76%</b>  | <b>0</b>                           | <b>6</b>         | <b>1</b>      | <b>1</b> | <b>0</b> | <b>8</b> | <b>24%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

**APPENDIX B**

Version: 1

Date: **15/03/11**

NATIONAL CORING 2010/11

| 1   | 2           | 3           | 4          | 5                                  | 6                   | 7                | 8        | 9        | 10       | 11         |
|---|-------------|-------------|------------|------------------------------------|---------------------|------------------|----------|----------|----------|------------|
|   | <b>CORE</b> | <b>PASS</b> |            | <b>FAIL - REPLACE (All AGREED)</b> |                     |                  |          |          |          |            |
| <b>Roads Authority<br/>North Ayrshire</b> | Nos.        | Nos.        | %          | Voiding                            | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL    | %          |
| <b>BT Openreach</b>                       | <b>5</b>    | <b>4</b>    | <b>80%</b> |                                    | <b>1</b>            |                  |          |          | <b>1</b> | <b>20%</b> |
| <b>Scotland Gas Networks</b>              | <b>7</b>    | <b>5</b>    | <b>71%</b> |                                    | <b>2</b>            |                  |          |          | <b>2</b> | <b>29%</b> |
| <b>Scottish Power</b>                     | <b>5</b>    | <b>4</b>    | <b>80%</b> |                                    | <b>1</b>            |                  |          |          | <b>1</b> | <b>20%</b> |
| <b>Scottish Water</b>                     | <b>11</b>   | <b>10</b>   | <b>91%</b> |                                    | <b>1</b>            |                  |          |          | <b>1</b> | <b>9%</b>  |
|   |             |             |            |                                    |                     |                  |          |          |          |            |
| <b>TOTALS</b>                             | <b>28</b>   | <b>23</b>   | <b>82%</b> | <b>0</b>                           | <b>5</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>5</b> | <b>18%</b> |

TYPE of CORING PROGRAMME: APPENDIX B Version: 2 Date: 22/02/2011

NATIONAL CORING 2010/11

| 1                            | 2           | 3           | 4          | 5                                  | 6                | 7             | 8        | 9        | 10        | 11         |
|------------------------------|-------------|-------------|------------|------------------------------------|------------------|---------------|----------|----------|-----------|------------|
|                              | <b>CORE</b> | <b>PASS</b> |            | <b>FAIL - REPLACE (All AGREED)</b> |                  |               |          |          |           |            |
|                              | Nos.        | Nos.        | %          | Voiding                            | Layer Tolerances | Material Type | Bond     | Others   | TOTAL     | %          |
| <b>Roads Authority</b>       |             |             |            |                                    |                  |               |          |          |           |            |
| <b>South Ayrshire</b>        |             |             |            |                                    |                  |               |          |          |           |            |
| <b>BT Openreach</b>          | 5           | 3           | 60%        |                                    |                  | 1             | 1        |          | 2         | 40%        |
| <b>Cable and Wireless</b>    | 5           | 4           | 80%        |                                    | 1                |               |          |          | 1         | 20%        |
| <b>Energetics</b>            | 5           | 5           | 100%       |                                    |                  |               |          |          | 0         |            |
| <b>H2O Networks</b>          | 5           | 1           | 20%        |                                    | 3                | 1             |          |          | 4         | 80%        |
| <b>Scotland Gas Networks</b> | 12          | 9           | 75%        |                                    | 3                |               |          |          | 3         | 25%        |
| <b>Scottish Power</b>        | 8           | 7           | 88%        |                                    |                  |               | 1        |          | 1         | 13%        |
| <b>Scottish Water</b>        | 11          | 6           | 55%        |                                    | 3                | 2             |          |          | 5         | 45%        |
|                              |             |             |            |                                    |                  |               |          |          |           |            |
| <b>TOTALS</b>                | <b>51</b>   | <b>35</b>   | <b>69%</b> | <b>0</b>                           | <b>10</b>        | <b>4</b>      | <b>2</b> | <b>0</b> | <b>16</b> | <b>31%</b> |

Only cores agreed as a fail should be recorded on this spreadsheet



NATIONAL CORING 2010/11

| 1  | 2         | 3         | 4           | 5                           | 6                   | 7                | 8        | 9        | 10        | 11         |
|--|-----------|-----------|-------------|-----------------------------|---------------------|------------------|----------|----------|-----------|------------|
| Roads Authority<br>South Lanarkshire Council | CORE      | PASS      |             | FAIL - REPLACE (ALL AGREED) |                     |                  |          |          |           |            |
|  | Nos.      | Nos.      | %           | Voiding                     | Layer<br>Tolerances | Material<br>Type | Bond     | Others   | TOTAL     | %          |
| <b>BT</b>                                    | <b>12</b> | <b>7</b>  | <b>58%</b>  | <b>0</b>                    | <b>2</b>            | <b>2</b>         | <b>1</b> | <b>0</b> | <b>5</b>  | <b>50%</b> |
| <b>SGN</b>                                   | <b>11</b> | <b>7</b>  | <b>64%</b>  | <b>0</b>                    | <b>2</b>            | <b>2</b>         | <b>0</b> | <b>0</b> | <b>4</b>  | <b>36%</b> |
| <b>Virgin Media</b>                          | <b>8</b>  | <b>5</b>  | <b>63%</b>  | <b>0</b>                    | <b>3</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>3</b>  | <b>38%</b> |
| <b>Cable and Wireless</b>                    | <b>5</b>  | <b>4</b>  | <b>80%</b>  | <b>0</b>                    | <b>0</b>            | <b>1</b>         | <b>0</b> | <b>0</b> | <b>1</b>  | <b>20%</b> |
| <b>GTC Pipelines</b>                         | <b>1</b>  | <b>1</b>  | <b>100%</b> | <b>0</b>                    | <b>0</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>Scottish Power</b>                        | <b>12</b> | <b>8</b>  | <b>67%</b>  | <b>0</b>                    | <b>4</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>4</b>  | <b>33%</b> |
| <b>Independent Pipelines</b>                 | <b>2</b>  | <b>1</b>  | <b>50%</b>  | <b>0</b>                    | <b>1</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>1</b>  | <b>50%</b> |
| <b>Scottish Water</b>                        | <b>32</b> | <b>23</b> | <b>72%</b>  | <b>2</b>                    | <b>3</b>            | <b>4</b>         | <b>0</b> | <b>0</b> | <b>9</b>  | <b>28%</b> |
| <b>Monoconsultants</b>                       | <b>2</b>  | <b>2</b>  | <b>100%</b> | <b>0</b>                    | <b>0</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>Scottish &amp; Southern</b>               | <b>2</b>  | <b>2</b>  | <b>100%</b> | <b>0</b>                    | <b>0</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>0</b>  |            |
| <b>Energetics</b>                            | <b>4</b>  | <b>2</b>  | <b>50%</b>  | <b>0</b>                    | <b>2</b>            | <b>0</b>         | <b>0</b> | <b>0</b> | <b>2</b>  | <b>50%</b> |
|  |           |           |             |                             |                     |                  |          |          |           |            |
|  |           |           |             |                             |                     |                  |          |          |           |            |
|  |           |           |             |                             |                     |                  |          |          |           |            |
|  |           |           |             |                             |                     |                  |          |          |           |            |
|  |           |           |             |                             |                     |                  |          |          |           |            |
| <b>TOTALS</b>                                | <b>86</b> | <b>58</b> | <b>67%</b>  | <b>2</b>                    | <b>16</b>           | <b>9</b>         | <b>1</b> | <b>0</b> | <b>28</b> | <b>33%</b> |

GTC Pipelines, Independent Pipelines and Monoconsultants have less than 5 cores Nationally and will not be recorded in the National results as per RAUC(S)  
Advice Note 3

Only cores agreed as a fail should be recorded on this spreadsheet

TYPE of CORING PROGRAMME:

APPENDIX B

Version: 1

Date: 28/3/11

NATIONAL CORING 2010/11

| 1                            | 2           | 3           | 4           | 5                                  | 6                | 7             | 8        | 9        | 10        | 11         |
|------------------------------|-------------|-------------|-------------|------------------------------------|------------------|---------------|----------|----------|-----------|------------|
|                              | <b>CORE</b> | <b>PASS</b> |             | <b>FAIL - REPLACE (ALL AGREED)</b> |                  |               |          |          |           |            |
| <b>Roads Authority</b>       |             |             |             |                                    |                  |               |          |          |           |            |
| <b>North Lanarkshire</b>     | Nos.        | Nos.        | %           | Voiding                            | Layer Tolerances | Material Type | Bond     | Others   | TOTAL     | %          |
| <b>Virgin</b>                | <b>6</b>    | <b>3</b>    | <b>50%</b>  |                                    | <b>1</b>         | <b>1</b>      | <b>1</b> |          | <b>3</b>  | <b>50%</b> |
| <b>Scotland Gas Networks</b> | <b>18</b>   | <b>15</b>   | <b>83%</b>  |                                    | <b>2</b>         | <b>1</b>      |          |          | <b>3</b>  | <b>17%</b> |
| <b>Scottish Power</b>        | <b>15</b>   | <b>11</b>   | <b>73%</b>  | <b>1</b>                           | <b>2</b>         |               | <b>1</b> |          | <b>4</b>  | <b>27%</b> |
| <b>Scottish Water</b>        | <b>24</b>   | <b>19</b>   | <b>79%</b>  |                                    | <b>3</b>         | <b>1</b>      | <b>1</b> |          | <b>5</b>  | <b>21%</b> |
| <b>Cable and Wireless</b>    | <b>3</b>    | <b>3</b>    | <b>100%</b> |                                    |                  |               |          |          |           |            |
|                              |             |             |             |                                    |                  |               |          |          |           |            |
| <b>TOTALS</b>                | <b>66</b>   | <b>51</b>   | <b>77%</b>  | <b>1</b>                           | <b>8</b>         | <b>3</b>      | <b>3</b> | <b>0</b> | <b>15</b> | <b>23%</b> |

| TYPE of CORING PROGRAMME:                      |           |           |            | APPENDIX B                  |                  |               |          |        |          |            | Version: 01 | Date: 26/04/2011 |
|--|-----------|-----------|------------|-----------------------------|------------------|---------------|----------|--------|----------|------------|-------------|------------------|
| NATIONAL CORING 2010/11                        |           |           |            |                             |                  |               |          |        |          |            |             |                  |
| 1  | 2         | 3         | 4          | 5                           | 6                | 7             | 8        | 9      | 10       | 11         |             |                  |
| Roads Authority<br>East Dunbartonshire Council | CORE      | PASS      |            | FAIL - REPLACE (ALL AGREED) |                  |               |          |        |          |            |             |                  |
|  | Nos.      | Nos.      | %          | Voiding                     | Layer Tolerances | Material Type | Bond     | Others | TOTAL    | %          |             |                  |
| <b>BT</b>                                      | <b>6</b>  | <b>4</b>  | <b>67%</b> | <b>0</b>                    |                  | <b>1</b>      | <b>1</b> |        | <b>2</b> | <b>33%</b> |             |                  |
| <b>Virgin Media</b>                            | <b>4</b>  | <b>2</b>  | <b>50%</b> | <b>0</b>                    | <b>2</b>         |               |          |        | <b>2</b> | <b>50%</b> |             |                  |
| <b>Scottish Power</b>                          | <b>5</b>  | <b>4</b>  | <b>80%</b> | <b>0</b>                    | <b>1</b>         |               |          |        | <b>1</b> | <b>20%</b> |             |                  |
| <b>SGN</b>                                     | <b>9</b>  | <b>8</b>  | <b>89%</b> | <b>0</b>                    | <b>1</b>         |               |          |        | <b>1</b> | <b>11%</b> |             |                  |
|  |           |           |            |                             |                  |               |          |        |          |            |             |                  |
|  |           |           |            |                             |                  |               |          |        |          |            |             |                  |
| <b>TOTALS</b>                                  | <b>24</b> | <b>18</b> | <b>75%</b> | <b>0</b>                    | <b>4</b>         | <b>1</b>      | <b>1</b> |        | <b>6</b> | <b>25%</b> |             |                  |

Only cores agreed as a fail should be recorded on this spreadsheet