

East Dunbartonshire & North Lanarkshire Local RAUC Meeting
Microsoft Teams Meeting 19th August 2020

Present:

Name	Initials	Company
John Scougall	JS	North Lanarkshire Council
Tony Thom	TT	North Lanarkshire Council
Mamadou Jalloh	MJ	North Lanarkshire Council
Robert McGougan	RMcG	North Lanarkshire Council
Duncan Carrick	DC	East Dunbartonshire Council
Craig Stewart	CS	East Dunbartonshire Council
Karen Davidson	KD	Vodafone
Graham Peacock	GP	SGN
Colette Findlay	CF	SGN
Courtney Mitchell	CM	Scottish Water
Gordon Michie	GM	Scottish Water
Claire Callaghan	CC	Scottish Water
Stephen Scanlon	SS	Openreach
Owen Harte	OH	Virgin Media
Caroline Auld	CA	Network Rail
David McNarlin	DMcI	Energetics
Joao Carmo	JC	SPEN
Stewart Allan	SA	M8DBFO

Apologies:

Name	Initials	Company
Andrew McLanaghan	AM	East Dunbartonshire Council
Emma West	EW	Scottish Water
William Moore	WM	SGN
John Hughes	JH	SPEN

No.	Item	Action
1.	<p>Welcome and Apologies</p> <ul style="list-style-type: none"> Chair welcomed all to the meeting. Apologies were received as noted above. 	
2.	<p>Previous minutes of 19 February 2020</p> <ul style="list-style-type: none"> The minutes of the meeting of 19th February 2020 were approved. With an amendment to remove “Fines may be increased by authorities” from item 8 	
3.	<p>Matters Arising from previous minutes of 19 February 2020</p> <ul style="list-style-type: none"> JS – Invoice payments in relation to SGN to be monitored JS – NLC experiencing difficulties having invoices paid for Inspections in relation to ZAYO telecoms. NLC to pursue. This matter is ongoing. Non acceptance of Scottish Water defective apparatus as it was not plotted on apparatus. This is managed with EW satisfactorily. JS – LA Ref: 2624197 – relates to BT defective apparatus not accepted. However the works were carried out under LA 2651455. SS advised that this has been escalated and will be resolved. JS – LA Ref: 2651296, 2711914, 2661498, 2678852, 2747612 are Virgin Media defective apparatus and will be escalated for repair DC – LA Ref: 02712930 – BT/KN Works on Lochaber Road, Bearsden has been resolved EDC LA ref 2714923, 2607717, 2692283 VM Defective Apparatus not accepted. OH to investigate and respond JS - Virgin Media major works in Salsburgh/Harthill have been completed successfully with no reported issues. CC – Scottish Water of the opinion that imprint was a concrete material over asphalt and there is a substantial cost for its reinstatement. NLC of the opinion that it is a coloured surfacing and should be replaced like for like. CC requested that this be raised at SWRAUC and possibly a further meeting SW/NLC as they are receiving complaints of noisy covers within some areas. 	<p>JS</p> <p>SS</p> <p>OH</p> <p>OH</p> <p>CC</p>

<p>4.</p>	<p>SRWR</p> <p>4.1 Aurora</p> <ul style="list-style-type: none"> • JS stated that system was working well. There were issues with reports and permits and these were being resolved with software updates and assistance from Symology support • CC- Also issues with reports having missing functionality eg Dimensions missing in relation to registration FPN charging enquiry missing information FPN awaiting assessment Missing Post Code functionality The issues are being addressed by the Support Team who have been excellent in their responses • CS – Issues with reprogramming works however this was resolved via the Support Team and now able re-propose works. <p>4.2 Notices</p> <ul style="list-style-type: none"> • CS – LA ref 2829505 & 2830632 Openreach works description making reference to essential works under covid-19. SS advised that this should not be the case and will escalate once more within Openreach. • JS – It was noted that some utilities were not using the agreement functionality correctly and FPN were generated. NLC have not been pursuing these FPN in the interim, however propose to pursue in the future. CA questioned the validity of NLC view and it was agreed that these should not be pursued where an agreement is in place. It was intimated that further guidance will be required possibly through the new user training. • JS- Some utilities using Traffic Management type “Works Entirely on Footway” Where this is the type of Traffic management then there should be no encroachment onto the carriageway. Utilities require to assess sites appropriately and notice the correct Traffic Management Type. 	<p>SS</p> <p>Utilities</p>
<p>5.</p>	<p>Programmes of Works & Coordination</p> <ul style="list-style-type: none"> • JS – NLC Surfacing programme is in SRWR and works ongoing. • DC – East Dunbartonshire surfacing works in register and programmed to start September 2020 • GM- Information was forwarded Scottish Water proposed works for Findlay Rise, East Dunbartonshire. DC requested that this be resent to roadworks@eastdunbarton.gov.uk • DC- Tour of the Campsies Time Trial on 06/09/20. Non Work Disruption within SRWR • CC – Reminded Roads Authorities of the availability of ironwork covers and frames when resurfacing. 	<p>GM</p> <p>NLC/EDC</p>

	<ul style="list-style-type: none"> Co-ordination Reports were issued prior to meeting. Where required Traffic Management and Programme of works should be provided 	
6.	<p>Performance Issues</p> <ul style="list-style-type: none"> Figures for 2020 Quarter 1 as noted below: North Lanarkshire BT – 95.8, VM – 89.3, SGN – 94.7, SP – 97.7, SW – 94.9 East Dunbartonshire BT – 95.45, VM – 100, SGN – 100, SP – 100, SW – 100 	
7.	<p>Reinstatement , Signing and Guarding</p> <ul style="list-style-type: none"> CC- KN working for Openreach using Blue barriers similar to Scottish Water and therefore reference to Courtesy boards should be encouraged during inspections. 	NLC/EDC
8.	<p>RAUC(S)</p> <ul style="list-style-type: none"> DC provided the following summary from the latest RAUC(S) meeting National coring programme was published 15 July 2020. The performance was recorded as 88% an increase of 6% over the previous programme. SWRAUC demonstrated a 90% pass rate It should be noted that during the period 24/03/20 to 24/06/20 there was a varying degree of relaxation in types of materials used by utilities and Roads Authorities should take cognisance of the unavailability of materials at this time. TSA 2019 schedule and guidance has been delayed but will be published. The Seminar for Senior Management will be rearranged Spaces For People, measures to facilitate distancing measures should be noticed as Non Works Disruption The Commissioner retires in September 2020 and the post is being advertised Operators using the SRWR from home may find the system slow as it may be affected by PC and connectivity. It was minuted that thanks go to all staff within the community who assisted with the load testing of the system prior to going live. There was detailed discussions in relation to the covid-19 pandemic. 	
9.	<p>SWRAUC</p> <ul style="list-style-type: none"> CC- to raise issue of Imprint at SW RAUC. 	

10.	<p>AOCB</p> <ul style="list-style-type: none"> • All initial enquiries in relation to NRSWA and applications for agreements and Traffic Signal Permits should be made via roadworkscontrol@northlan.gov.uk for works within North Lanarkshire and roadworks@eastdunbarton.gov.uk for Works within East Dunbartonshire • Remembrance Sunday 08th November 2020 and also Remembrance day 11th November 2020. It was requested that no planned works within Town Centres. • JS- Christmas Embargoes in Town Centres in North Lanarkshire 30th November 2020 to 04 January 2021 • NOTE AFTER MEETING – NLC propose to invoice Utilities for FPN from 01st September 2020 as agreed with majority of FPN contacts 	
11.	<p>Date of Next Meeting</p> <ul style="list-style-type: none"> • Wednesday 18th November 2020 @ 9:30 am via MS Teams 	